GREEN LIGHT®

CONCENTRATE

Root Stimulator & Starter Solution

5-15-5
For Newly Planted Flowers, Shrubs and Trees Around The Home

ACTIVE INGREDIENT:	
Indole-3-butyric acid	0.0004%
OTHER INGREDIENTS	99.9996%
Total	100.0000%

KEEP OUT OF REACH OF CHILDREN
CAUTION See Booklet For Additional Precautionary Statements

MANTÉNGALO,FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION Vea en folleto las precauciones adicionales

Net Contents 32 FL OZ (1 QT) 0.946L
Net Weight 2.5 LB (1.13kg)

05932
Form 7056-C

GREEN LIGHT®
ROOT STIMULATOR
& STARTER SOLUTION

SHAKE WELL BEFORE USING
DIRECTIONS FOR USE
INSTRUCCIONES PARA USO

Dilute Green Light® Root Stimulator & Starter Solution with water at the rate of 3 1/2 tablespoons per one gallon of water.

Diluya en agua *Green Light Root Stimulator & Starter Solution* a una proporción de 3 1/2 cucharadas por cada galón de agua.

PEEL AND RESEAL HERE

GUARANTEED ANALYSIS

Total Nitrogen (N)	5%
4.3% Ammoniacal Nitrogen	
0.2% Nitrate Nitrogen	
0.5% Urea Nitrogen	
Available Phosphate (P_2O_5)	15%
Soluble Potash (K_2O)	5%

Derived from: Ammonium Polyphosphate, Potassium Chloride, Urea-Ammonium Nitrate, Potassium Hydroxide and Phosphoric Acid.
Chlorine (Cl), not more than 3%

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.htm

Green Light is a registered trademark of Valent U.S.A. Corporation

EPA Reg. No. 85827-2
EPA Est. No. 39578-TX-01

Manufactured for:
Green Light, A Valent U.S.A. Company
P.O. Box 8025
Walnut Creek, CA 94596-8025

Form 7132-E
085827-00002.20111227
www.greenlightco.com
Tel. (800) 777-5702 Rev. 3-21-2012

F1892

MADE IN U.S.A.

QUART (2.5 LB) 1.13 kg

FPO

0 49424 05932 4

GREEN LIGHT®
ROOT STIMULATOR
& STARTER SOLUTION

SHAKE WELL BEFORE USING
DIRECTIONS FOR USE
INSTRUCCIONES PARA USO

Dilute Green Light® Root Stimulator & Starter Solution with water at the rate of 3 1/2 tablespoons per one gallon of water.

Diluya en agua *Green Light Root Stimulator & Starter Solution* a una proporción de 3 1/2 cucharadas por cada galón de agua.

GUARANTEED ANALYSIS

Total Nitrogen (N)	5%
4.3% Ammoniacal Nitrogen	
0.2% Nitrate Nitrogen	
0.5% Urea Nitrogen	
Available Phosphate (P_2O_5)	15%
Soluble Potash (K_2O)	5%

Derived from: Ammonium Polyphosphate, Potassium Chloride, Urea-Ammonium Nitrate, Potassium Hydroxide and Phosphoric Acid.
Chlorine (Cl), not more than 3%

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.htm

Green Light is a registered trademark of Valent U.S.A. Corporation

EPA Reg. No. 85827-2 F1892
EPA Est. No. 39578-TX-01

Manufactured for:
Green Light, A Valent U.S.A. Company
P.O. Box 8025
Walnut Creek, CA 94596-8025

Form 7132-E
085827-00002.20111227
www.greenlightco.com
Tel. (800) 777-5702 Rev. 3-21-2012

MADE IN U.S.A.

QUART (2.5 LB) 1.13 kg

FPO

0 49424 05932 4

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID

If On Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **800-892-0099** for emergency medical treatment information.

ENVIRONMENTAL HAZARDS: For terrestrial uses: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRODUCT INFORMATION

HOW IT WORKS

Green Light Root Stimulator & Starter Solution is an aid to the development of a fast, strong root structure and green vigorous plants. It contains a rooting hormone and fertilizer.

WHERE TO USE

FOR OUTDOOR USE ONLY.

Shake well before using.

For residential use on plants around and in home gardens, lawns and ornamentals.

WHEN TO USE

As with other products, make applications in early morning/early evening to minimize the potential for leaf burn. Use with care on plants with tender tissue (i.e. bedding plants and other green-stemmed plants). Check for leaf burn in small-scale trials prior to use.

HOW TO USE

Dilute *Green Light Root Stimulator & Starter Solution* with water at the rate of 3 1/2 tablespoons per one gallon of water. Use from 1 to 8 pints of diluted *Green Light Root Stimulator & Starter Solution* per plant depending upon size. For example:	
Annual flowers such as mums, geraniums	1 pint of the mixture
For 2 or 3 foot plants such as azaleas, gardenias, camellias and rose bushes	3 pints of the mixture per plant
For larger than 4 foot plants, such as trees and large shrubs	1 gallon or more of the mixture per plant depending on size

Pour diluted solution over the soil as the roots are being covered, making sure that the roots are wet with the solution. Wet soil around plant with water after planting.

Repeat in 2 or 3 weeks if necessary by pouring diluted *Green Light Root Stimulator & Starter Solution* on soil around transplanted plants.

For Questions, Comments or Medical Information Call: (800) 777-5702.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a cool dry, locked storage area out of reach of children and pets. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

To the extent consistent with applicable law, Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Seller makes no other express nor implied warranty of merchantability or fitness for a particular purpose or any other express or implied warranty.

DECLARACIONES DE PRECAUCIÓN

RIESGOS PARA LAS PERSONAS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN: Nocivo si se absorbe a través de la piel. Causa irritación moderada en los ojos. Evite el contacto con la piel, los ojos o la ropa. Lavar a fondo con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle o usar tabaco. Quite y lave la ropa contaminada antes de reutilizarla.

PRIMEROS AUXILIOS

En la piel o la ropa: Quítese la ropa contaminada. Enjuague la piel inmediatamente con abundante agua durante 15-20 minutos. Llame a un centro de control de envenenamientos o a un médico para tratamiento.
Ojos: Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15-20 minutos. Quítese los lentes de contacto, si los usa, después de los primeros 5 minutos, luego continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para tratamiento.

LÍNEA DIRECTA

Lleve consigo el envase o la etiqueta cuando llame al centro de control de envenenamientos, un médico, o intente obtener tratamiento. También puede ponerse en contacto con **800-892-0099** para información sobre el tratamiento médico de emergencia.

RIESGOS AMBIENTALES: Para usos terrestres: Para proteger el medio ambiente, no permita que el pesticida entre o se escurra en los desagües pluviales, zanjas de drenaje, canaletas o aguas superficiales. La aplicación de este producto debe hacerse con clima calmado, cuando la lluvia no está prevista para las próximas 24 horas ya que esto ayudará a asegurar que el viento o la lluvia no soplen o laven el pesticida del área de tratamiento. Barrer cualquier producto que caiga en un camino de entrada, en la acera, o en la calle, de nuevo en el área tratada del césped o el jardín le ayudará a prevenir que se escurran a los cuerpos de agua o sistemas de drenaje.

INSTRUCCIONES DE USO

Se trata de una violación de la ley federal usar este producto de manera inconsistente con su etiquetado.

INFORMACIÓN SOBRE EL PRODUCTO

CÓMO FUNCIONA

Green Light Root Stimulator & Starter Solution es una ayuda para el rápido desarrollo de una estructura fuerte de la raíz y plantas verdes vigorosas. Contiene una hormona de enraizamiento y fertilizantes.

CAMPOS DE APLICACIÓN

PARA USO AL AIRE LIBRE.

Agitar bien antes de usar.

Para el uso residencial en las plantas de alrededor y en jardines, céspedes y plantas ornamentales.

CUÁNDO USAR

Al igual que con otros productos, debes hacer las aplicaciones en la mañana/tarde para minimizar el potencial de quemadura de las hojas. Usar con cuidado en las plantas con el tejido delicado (es decir, plantas ornamentales y otras plantas de tallo verde). Compruebe si hay quemaduras en las hojas a pequeña escala antes de su uso.

MODO DE EMPLEO

Diluir *Green Light Root Stimulator & Starter Solution* con agua a razón de 3 1/2 cucharadas por cada galón de agua. Use de 1 a 8 pintas diluidas de *Green Light Root Stimulator & Starter Solution* por planta, dependiendo del tamaño.	
Por ejemplo: Las flores anuales, como crisantemos, geranios	1 litro de la mezcla
Para 2 o 3 plantas, como las azaleas, gardenias, camelias y arbustos	3 pintas de la mezcla por planta
Para más de 4 plantas, tales como árboles y arbustos grandes	1 galón o más de la mezcla por planta dependiendo del tamaño

Vierta la solución diluida sobre el suelo donde las raíces están siendo cubiertas, asegurándose de que las raíces estén mojadas con la solución. Moje el suelo alrededor de la planta con agua después de la siembra.
Repetir en 2 o 3 semanas si es necesario mediante el vertido diluido de *Green Light Root Stimulator & Starter Solution* en el suelo alrededor de las plantas trasplantadas.

Para Preguntas, Comentarios o Información Médica llame al número: (800) 777-5702.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DE PESTICIDAS: Almacenar en envase original en un lugar fresco, seco, el almacene bajo llave fuera del alcance de los niños y las mascotas. **USO DEL PESTICIDAS Y MANIPULACIÓN DEL RECIPIENTE:** El recipiente no se puede rellenar. No vuelva a usar ni rellene este envase. **Si está vacío:** Colóquelo en la basura o entréguelo para reciclar, si es el caso. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca coloque el producto no utilizado en ningún drenaje interior o exterior.

GARANTÍA

En la medida compatible con la ley aplicable, el Vendedor garantiza que este producto cumple con la descripción química en la etiqueta y es razonablemente adecuado para los fines indicados en la etiqueta cuando se utiliza en estricta conformidad con las instrucciones. El vendedor no da, de forma expresa ni la garantía implícita de comerciabilidad o aptitud para un propósito particular o cualquier otra garantía expresa o implícita